

~~SECRET~~

1/2

25X1A6a

Appendix A

17 Aug 73

FINISH SCHEDULE

Finish Symbol

Requirements

F1: General Offices and Corridors

Floor - resilient tile  
Base - 4" vinyl topset  
Walls - GWB painted  
Ceiling - acoustic

F2: Special Offices and Conference Areas

Floor - carpet  
Base - 4" vinyl  
Walls - GWB painted  
Ceiling - acoustic

F3: Wet Work Areas

Floor - sheet vinyl or monolithic  
seamless flooring  
Base - 4" vinyl  
Walls - GWB with polyester-epoxy  
paint  
Ceiling - acoustic

F4: Toilets

Floor - ceramic or monolithic  
seamless flooring  
Base - wall finish  
Walls - concrete and CMU with  
tile-like finish  
Ceiling - plaster painted

F5: Heavy Work and Storage Areas

Floor - monolithic seamless flooring  
Base - 4" vinyl  
Walls - GWB, epoxy tile-like finish  
Ceiling - acoustic

~~SECRET~~

**SECRET**

Appendix A  
Continued

17 AUG 73

F6: Building Mechanical Rooms, Stairs

Floor - as appropriate  
Base - as appropriate  
Walls - exposed masonry painted;  
          exterior stair treat as  
          exterior with finish  
Ceiling - as appropriate

**SECRET**